FLOOR PROFILES



TESTED • TOP QUALITY • TESTED • TOP

FLOOR EXPERT

Arbiton FLOOR EXPERT

22
23
24
25

Decora
S.A.

INVESTING IN FUTURE

Innovation, quality and know-how – since 1994 we've been investing in knowledge, technology and our machinery park. Over 20 years we create and improve our product portfolio. We aim to become market LEADER wherever we are present.
We provide solutions for the most demanding floor users. We share experience and set trends.
We are the FLOOR EXPERT.

Decora S.A.

OUR NEW PRO SYSTEM!

PRO 20

PRODUO 22

PRO 26

PRODUO 38

PRO-L



HOW TO CHOOSE THE RIGHT PROFILE?

	Width	Wood	Anode	Inox	Screw fix	Glue fix	Max dilatation	Max leveling	Page
UNIVERSAL PROFILES									
CS3	30 mm	⊕	⊕	-	⊕	⊕	24 mm	6 mm	14
CS1	37 mm	⊕	⊕	-	⊕	⊕	34 mm	17 mm	16
DILATATION PROFILES									
PRO20	20 mm	-	-	⊕	-	⊕	10 mm	-	19
PRODUO22	22mm	-	-	⊕	⊕	⊕	16 mm	-	20
FL1	16 mm	⊕	-	-	-	⊕	10 mm	-	21
T16	16 mm	⊕	⊕	-	-	⊕	10 mm	-	22
T22	22 mm	⊕	⊕	-	-	⊕	16 mm	-	23
SM1	30 mm	⊕	⊕	-	⊕	-	24 mm	-	24
PR3	30 mm	-	⊕	-	⊕	-	24 mm	-	25
PR3K	30 mm	⊕	⊕	-	-	⊕	24 mm	-	26
LEVELING PROFILES									
PRO26	26mm	-	-	⊕	-	⊕	10 mm	6 mm	28
PRODUO38	38 mm	-	-	⊕	⊕	⊕	32 mm	16 mm	29
PR8	38 mm	-	⊕	-	⊕	-	32 mm	10 mm	30
SM2	41 mm	⊕	⊕	-	⊕	-	35 mm	13 mm	31
SM3	47 mm	⊕	⊕	-	⊕	-	41 mm	17 mm	32
PR4	48 mm	-	⊕	-	⊕	-	42 mm	14 mm	33
PR10	70 mm	-	⊕	-	⊕	-	64 mm	10 mm	34
FINISHING PROFILES									
PRO-L	15/20mm	-	-	⊕	-	⊕	15 mm	-	36
PS1	25 mm	-	⊕	-	⊕	-	20 mm	-	37
PS1K	25 mm	⊕	⊕	-	-	⊕	20 mm	-	38
STAIRS PROFILES									
CS2	25 mm	⊕	⊕	-	-	⊕	-	-	40
PS2	25 mm	-	⊕	-	⊕	-	-	-	41
PS8	40 mm	-	⊕	-	⊕	-	-	-	42
PS6	46 mm	-	⊕	-	⊕	-	-	-	43

CHOOSE THE RIGHT PROFILE, USE OUR MEASURING TOOL







THE SAME LEVEL

DILATATION
- choose profile to connect hard surfaces with the same levels (laminate floor, engineered wood, parquet and ceramic tiles)

visible dowel assembly
invisible dowel assembly
dowels / glue
glue assembly



DIFFERENT LEVELS

levelling profiles
- hard surfaces

LEVELLING
- choose profile to connect hard surfaces with different levels (laminate floor, engineered wood, parquet and ceramic tiles)



DIFFERENT LEVELS

levelling profiles
- soft surfaces

LEVELLING
- choose profile to connect hard surface with carpet



FINISHING PROFILES

Floor thickness less than 10mm
- PRO-L
- PRO20

Floor thickness more than 10mm
- PS1
- PS1K



STAIR PROFILES

INSIDE

CS2 - you can choose color matched, gluefix stairs profiles.

OUTSIDE

PS6 - For outside, basement or garage you can use anodized, screw fix profiles PS2, PS6 or PS8

Our colors are matched to laminate, lvt and wood best sellers from all around Europe. Our profiles are matched to our skirting boards systems.

Find out our new INOX colors.

ASSEMBLY



Screwed profiles may be used in the absence of installations and if there is no danger of interference with the substrate. You can choose metal or plastic screws (safe for DIY).

This type of assembly is especially recommended if the floor contains installations such as floor heating



MAX DILATATION ___ mm

MAX DILATATION: __mm
This information shows maximum gap between floors, that particular profile can cover. For floor dilatation – look floor producers recommendations.

MAX LEVELING ___ mm

MAX LEVELLING: __mm
This information shows maximum height difference between floors, that particular profile can cover. When calculating the height, always count the whole flooring system – floor + underlay/glue.

SUPER FLAT

SUPER FLAT
From designers point of view, best profile is the flattest and smoothest one. Arbiton delivers new, extra flat solution, perfect even for the most demanding clients.

SCREWS SAFE FOR DIY

SCREWS - SAFE FOR DIY
Traditional, metal screws can easily damage the profile during installation. Also visible screw head appears on surface of the profile. With Arbiton PCV screws floor profiles can be installed with no worries, even without any experience - perfect for DIY.

PROFI SOLUTION

PROFI SOLUTION
Profiles for the most demanding clients. Professional assembly systems, narrow and extra flat solutions.

INOX COLOR

INOX COLOR
New Arbiton color. Inox is a brushed steel in two shades. Perfect match to house fittings like door or window handles.

DILATATION GLUE

DILATATION GLUE
Special hot melt glue formula for profiles. Floor profile stays strongly fitted but allows floor to expand and contract.

SILICONE BARIER

SILICONE BARRIER
Silicone layer added to all Arbiton srew fix profiles, to protect against dirt getting under the profile.

UNIVERSAL PROFILES

3 in 1

- DILATATION
- LEVELLING
- FINISHING

DILATATION

LEVELING

FINISHING

COLOR SYSTEM

3 in 1

- DILATATION
- LEVELLING
- FINISHING

An universal profile has 3 functions:
covering dilatation of surface and finishing the surface next to the wall or window.

CS3 I SUPER FLAT 3 IN 1 PROFILE 16

CS1 I MOST UNIVERSAL PROFILE IN THE MARKET 18

WIDE RANGE OF COLORS MATCHED WITH ALL SHADES OF FLOORS

40


01


25


19

41

16

42

26

27

02

43

03

20

44

04

09

07

22

30

29

31

32

39

11

12

14

13

34

38

23

45


A1


A3

A3

Additional accessories in the set



CONNECTOR

- The connector allows for connection of two or more profiles
- Simple installation
- Profile connection is more stable



BRIDGE

- The bridge allows for finishing the floor next to the wall, balcony doors.
- Stable suport of the profile next to the wall
- A universal height – possibility to match up to 4-22 mm by cutting the bridge
- Quick and simple installation – just slide the bridge in the profile



DuoFix:
1 product - 2 ways of installation

- The Color SYSTEM profiles can be fixed in two ways: DOWEL OR GLUE (IN THE SET)

- SAFE FOR DIY



- DILATATION GLUE

CS3

30 mm

MAX LEVELING 6mm

MAX DILATATION 24mm

SUPER FLAT

SCREWS SAFE FOR DIY

DILATATION GLUE

DIMENSIONS













CS3

COLOR	0,93 m	1,86 m
A1	5905167799925	5905167800256
A3	5905167799949	5905167800270
1	5905167799956	5905167800287
2	5905167799963	5905167800294
3	5905167799970	5905167800300
4	5905167799987	5905167800317
7	5905167799994	5905167800324
9	5905167800003	5905167800331
11	5905167800010	5905167800348
12	5905167800027	5905167800355
13	5905167800034	5905167800362
14	5905167800041	5905167800379
16	5905167800058	5905167800386
19	5905167800065	5905167800393
20	5905167800072	5905167800409
22	5905167800089	5905167800416
23	5905167800096	5905167800423
25	5905167800102	5905167800430
26	5905167800119	5905167800447
27	5905167800126	5905167800454
29	5905167800140	5905167800478
30	5905167800157	5905167800485
31	5905167800164	5905167800492
32	5905167800171	5905167800508
34	5905167800195	5905167800522
38	5905167800232	5905167800560
39	5905167800249	5905167800577
40	5905167805657	5905167805701
41	5905167805664	5905167805718
42	5905167805671	5905167805725
43	5905167805688	5905167805732
44	5905167805695	5905167805749
45	5905167805817	5905167805800

MIN. ORDER	4 pcs	4 pcs
	12 pcs	12 pcs
	1320 pcs	1320 pcs

CS1



DIMENSIONS















CS1

COLOR	0,93 m	1,86 m
A1	5905167769249	5905167769577
A2	5905167769256	5905167769584
A3	5905167769263	5905167769591
1	5905167769270	5905167769607
2	5905167769287	5905167769614
3	5905167769294	5905167769621
4	5905167769300	5905167769638
7	5905167769317	5905167769645
9	5905167769331	5905167769669
11	5905167769348	5905167769676
12	5905167769355	5905167769683
13	5905167769362	5905167769690
14	5905167769379	5905167769706
16	5905167769386	5905167769713
19	5905167769393	5905167769720
20	5905167769409	5905167769737
22	5905167769416	5905167769744
23	5905167769423	5905167769751
25	5905167769447	5905167769775
26	5905167769454	5905167769782
27	5905167769461	5905167769799
29	5905167769485	5905167769812
30	5905167769492	5905167769829
31	5905167769508	5905167769836
32	5905167769515	5905167769843
34	5905167769539	5905167769867
38	5905167769430	5905167769768
39	5905167769324	5905167769652
40	5905167805558	5905167805602
41	5905167805565	5905167805619
42	5905167805572	5905167805626
43	5905167805589	5905167805633
44	5905167805596	5905167805640
45	5905167805824	5905167805831

MIN. ORDER	4 pcs	4 pcs
	12 pcs	12 pcs
	1320 pcs	960 pcs

DILATATION PROFILES



PRO20

20mm

MAX DILATATION 10mm

DILATATION GLUE

GLUE FIX

INOX COLOR

PROFI SOLUTION

DIMENSIONS





COLORS

		0,93 m	1,86 m	2,79 m
B1		5905167800911	5905167800942	5905167800928
B3		5905167800935	5905167800966	5905167800959
MIN. ORDER		4 pcs	4 pcs	4 pcs
		12 pcs	12 pcs	12 pcs
		960 pcs	1320 pcs	960 pcs

PRODUO22

DIMENSIONS









COLORS

		0,93 m	1,86 m	2,79 m
B1		-	-	5905167801154
B3		-	-	5905167801178
MIN. ORDER		4 pcs	4 pcs	4 pcs
		12 pcs	12 pcs	12 pcs
		960 pcs	1320 pcs	960 pcs



FL1

16 mm

MAX DILATATION 10mm

GLUE FIX

DIMENSIONS





COLORS

	2,50 m
W1	5905167677056
W2	5905167677049
W3	5905167677063
W4	5905167768631
W5	5905167677025
W6	5905167685266
MIN. ORDER	4 pcs
	4 pcs
	1600 pcs

	2,50 m
W8	5905167685259
W9	5905167353424
W10	5905167677087
W11	5905167685273
W25	5905167768624
W27	5905167768648
MIN. ORDER	4 pcs
	4 pcs
	1600 pcs

T16



DIMENSIONS





NEW

USE STRONGMAN GLUE

COLORS

		1,00 m	2,00 m
A1		5905167768327	5905167768471
A2		5905167768334	5905167768488
A3		5905167768341	5905167768495
W1		5905167768358	5905167768501
W2		5905167768365	5905167768518
W3		5905167768372	5905167768525
W4		5905167768419	5905167768563
MIN. ORDER		4 pcs	4 pcs
		12 pcs	12 pcs
		960 pcs	1320 pcs

		1,00 m	2,00 m
W5		5905167768396	5905167768549
W6		5905167768402	5905167768556
W8		5905167768426	5905167768570
W9		5905167768433	5905167768587
W10		5905167768440	5905167768594
W11		5905167768457	5905167768600
W25		5905167768389	5905167768532
W27		5905167768464	5905167768617
MIN. ORDER		4 pcs	4 pcs
		12 pcs	12 pcs
		960 pcs	1320 pcs

T22

22 mm

MAX DILATATION 10mm

GLUE FIX

DILATATION GLUE

DIMENSIONS





COLORS

	1,00 m	2,00 m
A1	5905167799628	5905167799772
A3	5905167799642	5905167799796
W1	5905167799659	5905167799802
W2	5905167799666	5905167799819
W3	5905167799673	5905167799826
W4	5905167799680	5905167799833
W5	5905167799697	5905167799840
MIN. ORDER	4 pcs	4 pcs
	12 pcs	12 pcs
	960 pcs	1320 pcs

	1,00 m	2,00 m
W6	5905167799703	5905167799857
W8	5905167799710	5905167799864
W9	5905167799727	5905167799871
W10	5905167799734	5905167799888
W11	5905167799741	5905167799895
W25	5905167799758	5905167799901
W27	5905167799765	5905167799918
MIN. ORDER	4 pcs	4 pcs
	12 pcs	12 pcs
	960 pcs	1320 pcs

SM1



DIMENSIONS





COLORS

	0,93 m	1,86 m	2,79 m
A1	5905167035818	5905167035610	5906735611823
A2	5905167035825	5905167035627	5906735611830
A3	5905167686317	5905167686324	5905167686331
W1	5905167674734	5905167674819	-
W2	5905167674727	5905167674802	-
W3	5905167674741	5905167674826	-
W4	5905167768150	5905167768181	-
W5	5907749015508	5907749015539	-
MIN. ORDER	4 pcs	4 pcs	4 pcs
	4 pcs	4 pcs	4 pcs
	960 pcs	960 pcs	1040 pcs

	0,93 m	1,86 m	2,79 m
W6	5905167684436	5905167684450	-
W8	5905167684429	5905167684443	-
W9	5906735624472	5906735624489	-
W10	5905167674765	5905167674840	-
W11	5907749024326	5907749024340	-
W25	5905167768143	5905167768174	-
W27	5905167768167	5905167768198	-
MIN. ORDER	4 pcs	4 pcs	-
	4 pcs	4 pcs	-
	960 pcs	960 pcs	-

PR3

30 mm

MAX DILATATION 24mm

SCREW FIX

SILICONE BARIER

DIMENSIONS





COLORS

		0,93 m	1,86 m	2,79 m
A1		5906735611175	5906735611205	5906735611236
A2		5906735611182	5906735611212	5906735611243
A3		5905167686515	5905167686522	5905167686539
MIN. ORDER		4 pcs	4 pcs	4 pcs
		12 pcs	4 pcs	4 pcs
		960 pcs	1040 pcs	1040 pcs

PR3K

DIMENSIONS





COLORS

		0,93 m	1,86 m
A1		5906735611267	5906735611298
A2		5906735611274	5906735611304
A3		5905167689455	5905167689462
W1		5905167675212	5905167675298
W2		5905167675205	5905167675281
W3		5905167675229	5905167675304
W4		5905167766446	5905167766477
W5		5905167675182	5905167675267
MIN. ORDER		4 pcs	4 pcs
		12 pcs	4 pcs
		960 pcs	1040 pcs

		0,93 m	1,86 m
W6		5905167684566	5905167684597
W8		5905167684559	5905167684580
W9		5906735624236	5906735624243
W10		5905167675243	5905167675328
W11		5905167684542	5905167684573
W25		5905167766439	5905167766460
W27		5905167766453	5905167766484
MIN. ORDER		4 pcs	4 pcs
		12 pcs	4 pcs
		960 pcs	1040 pcs

LEVELLING PROFILES

PRO26

DIMENSIONS





COLORS

		0,93 m	1,86 m	2,79 m
B1		5905167800973	5905167801000	5905167800980
B3		5905167800997	5905167801024	5905167801017
MIN. ORDER		4 pcs	4 pcs	4 pcs
		12 pcs	12 pcs	12 pcs
		960 pcs	1320 pcs	960 pcs

PRODUO38

38mm

MAX LEVELING 16 mm

MAX DILATATION 32mm

INOX COLOR

PROFI SOLUTION

DILATATION GLUE

DIMENSIONS





COLORS

		0,93 m	1,86 m	2,79 m
B1		-	-	5905167801093
B3		-	-	5905167801116
MIN. ORDER		4 pcs	4 pcs	4 pcs
		12 pcs	12 pcs	12 pcs
		960 pcs	1320 pcs	1320 pcs

PR8

MAX LEVELING 10mm

MAX DILATATION 32mm

SILICONE BARIER

DIMENSIONS





COLORS

		0,93 m	1,86 m	2,79 m
A1		5905167767696	5905167767726	5905167767757
A2		5905167767702	5905167767733	5905167767764
A3		5905167767719	5905167767740	5905167767771
MIN. ORDER		4 pcs	4 pcs	4 pcs
		12 pcs	4 pcs	4 pcs
		960 pcs	780 pcs	780 pcs



SM2

41 mm

MAX LEVELING 13mm

SCREW FIX

MAX DILATATION 35mm

SILICONE BARIER

DIMENSIONS





COLORS

		0,93 m	1,86 m	2,79 m
A1		5905167033814	5905167033616	5906735612035
A2		5905167033821	5905167033623	5906735612042
A3		5905167686348	5905167686355	5905167686362
W1		5905167674970	5905167675052	5905167788141
W2		5905167674963	5905167675045	5905167788158
W3		5905167674987	5905167675069	5905167788165
W4		5905167768211	5905167768242	5905167788172
W5		5907749015591	5907749015621	5905167788189
MIN. ORDER		4 pcs	4 pcs	4 pcs
		12 pcs	4 pcs	4 pcs
		960 pcs	780 pcs	780 pcs

		0,93 m	1,86 m	2,79 m
W6		5905167684498	5905167684511	5905167788196
W8		5905167684481	5905167684504	5905167788202
W9		5906735625318	5906735625325	5905167788219
W10		5905167675007	5905167675083	5905167788226
W11		5907749024388	5907749024401	5905167788233
W25		5905167768204	5905167768235	5905167788240
W27		5905167768228	5905167768259	5905167788257
MIN. ORDER		4 pcs	4 pcs	4 pcs
		12 pcs	4 pcs	4 pcs
		960 pcs	780 pcs	780 pcs

SM3

MAX LEVELING 17mm

MAX DILATATION 41mm

SILICONE BARIER

DIMENSIONS





COLORS

		0,93 m	1,86 m	2,79 m
A1		5905167036815	5905167033616	5906735612035
A2		5905167036822	5905167033623	5906735612042
A3		5905167686379	5905167686355	5905167686362
W1		5905167675694	5905167675052	5905167788141
W2		5905167675687	5905167675045	5905167788158
W3		5905167675700	5905167675069	5905167788165
W4		5905167768273	5905167768242	5905167788172
W5		5907749015683	5907749015621	5905167788189
MIN. ORDER		4 pcs	4 pcs	4 pcs
		12 pcs	4 pcs	4 pcs
		960 pcs	780 pcs	780 pcs

		0,93 m	1,86 m	2,79 m
W6		5905167684733	5905167684511	5905167788196
W8		5905167684726	5905167684504	5905167788202
W9		5906735625431	5906735625325	5905167788219
W10		5905167675724	5905167675083	5905167788226
W11		5907749024449	5907749024401	5905167788233
W25		5905167768266	5905167768235	5905167788240
W27		5905167768280	5905167768259	5905167788257
MIN. ORDER		4 pcs	4 pcs	4 pcs
		12 pcs	4 pcs	4 pcs
		960 pcs	780 pcs	780 pcs

PR4

48 mm

MAX LEVELING 14mm

SCREW FIX

MAX DILATATION 42mm

DIMENSIONS





COLORS

		0,93 m	1,86 m	2,79 m
A1		5906735611366	5906735611397	5906735611427
A2		5906735611373	5906735611403	5906735611434
A3		5905167686546	5905167686553	5905167686560
MIN. ORDER		4 pcs	4 pcs	4 pcs
		12 pcs	4 pcs	4 pcs
		960 pcs	624 pcs	624 pcs

PR10

DIMENSIONS





COLORS

		0,93 m	1,86 m	2,79 m
A1		5905167767788	5905167767818	5905167767849
A2		5905167767795	5905167767825	5905167767856
A3		5905167767801	5905167767832	5905167767863
MIN. ORDER		4 pcs	4 pcs	4 pcs
		8 pcs	4 pcs	4 pcs
		640 pcs	440 pcs	440 pcs

FINISHING PROFILES

PRO-L

20 mm

MAX DILATATION 15mm

GLUE FIX

PROFI SOLUTION

INOX COLOR

YOU CAN INSTALL IN 2 WAYS:

DIMENSIONS









COLORS

		0,93 m	1,86 m	2,79 m
B1		5905167801048	5905167801031	5905167801079
B3		5905167801062	5905167801055	5905167801086
MIN. ORDER		4 pcs	4 pcs	4 pcs
		12 pcs	12 pcs	12 pcs
		960 pcs	1320 pcs	960 pcs

PS1

25 mm

SCREW FIX

DIMENSIONS





COLORS

		1 m	2 m	3 m
A1		5905167767870	5905167767900	5905167767931
A3		5905167767894	5905167767924	5905167767955
MIN. ORDER		4 pcs	4 pcs	4 pcs
		12 pcs	4 pcs	4 pcs
		960 pcs	1248 pcs	1248 pcs

PS1K

25 mm

GLUE FIX

DIMENSIONS





COLORS

		1,00 m	2,00 m
A1		5905167766798	5905167766941
A2		5905167766804	5905167766958
A3		5905167766811	5905167766965
W1		5905167766828	5905167766972
W2		5905167766835	5905167766989
W3		5905167766842	5905167766996
W4		5905167766880	5905167767030
W5		5905167766866	5905167767016
MIN. ORDER		4 pcs	4 pcs
		12 pcs	4 pcs
		960 pcs	1248 pcs

		1,00 m	2,00 m
W6		5905167766873	5905167767023
W8		5905167766897	5905167767047
W9		5905167766903	5905167767054
W10		5905167766910	5905167767061
W11		5905167766927	5905167767078
W25		5905167766859	5905167767009
W27		5905167766934	5905167767085
MIN. ORDER		4 pcs	4 pcs
		12 pcs	4 pcs
		960 pcs	1248 pcs

STAIRS PROFILES



CS2

25 mm

GLUE FIX

DIMENSIONS



		1,20 m
A1		5905167769577
A2		5905167769584
A3		5905167769591
01		5905167769607
02		5905167769614
03		5905167769621
04		5905167769638
09		5905167769669
MIN. ORDER		4 pcs
		4 pcs
		1000 pcs

		1,20 m
26		5905167769782
29		5905167769812
30		5905167769829
31		5905167769836
MIN. ORDER		4 pcs
		4 pcs
		1000 pcs

PS2

25 mm

SCREW FIX

DIMENSIONS



COLORS

		1,20 m	2,40 m
A1		5905167767962	5905167767993
A2		5905167767979	5905167768006
A3		5905167767986	5905167768013
MIN. ORDER		4 pcs	4 pcs
		4 pcs	4 pcs
		1040 pcs	1040 pcs

PS8

40 mm

SCREW FIX

DIMENSIONS



COLORS

		1,20 m	2,40 m
A1		5905167768020	5905167768051
A2		5905167768037	5905167768068
A3		5905167768044	5905167768075
MIN. ORDER		4 pcs	4 pcs
		4 pcs	4 pcs
		600 pcs	600 pcs

PS6

46 mm

SCREW FIX

DIMENSIONS



COLORS

		1,20 m	2,40 m
A1		5905167768082	5905167768112
A2		5905167768099	5905167768129
A3		5905167768105	5905167768136
MIN. ORDER		4 pcs	4 pcs
		4 pcs	4 pcs
		480 pcs	480 pcs

COLOR AVAILABLE IN COLOR SYSTEM CS1, CS2, CS3*



40 I White

01 I White Oak

25 I Snow Oak

19 I Ontario Oak

02 I Northern Ash

03 I Loft Oak

26 I Buffalo Oak

41 I Girona Oak

43 I Platinum Oak

42 I Bolton Oak

16 I Caucasian Oak

27 I Boston Oak

30 I Davos Oak

20 I Burgos Oak

04 I Lingburg Oak

22 I Valencia Oak

29 I Santana Oak

07 I Liberty Oak

09 I Manorial Oak

31 I Odessa Oak

39 I Corona Oak

32 I Nebraska Oak

11 I Holm Oak

12 I Dark Oak

13 I Walnut Rubra

14 I Wenge Africa

34 I Mito Oak

44 I Sandy Oak

23 I Modena Oak

38 I Kioto Oak

45 I Concrete

A2 I Gold

A3 I Titanium


A1 I Silver

COLOR AVAILABLE IN SM1, PR3K, T16, FL1, T22*, SM2, SM3, PS1K

W25 I Snow Oak

W1 I White Oak

W27 I Boston Oak

W2 I Cappucino Oak

W3 I Silver Oak

W4 I Lingburg Oak

W5 I Noble Oak

W6 I Board Oak

W8 I Antique Oak

W9 I Golden Walnut

W10 I Smoked Oak

W11 I American Walnut

A2 I Gold

A3 I Titanium

* NOT AVAIABLE IN GOLD

COLOR AVAILABLE PR3, PR8, PR4, PR10, PS1, PS2, PS8, PS6


A1 I Silver

A2 I Gold

A3 I Titanium

COLOR AVAILABLE IN PRO20, PRO26, PRODUO22, PRODUO38, PRO-L

B1 I Brushed Silver

B3 I Brushed Titanium


A1 I Silver

	Width	Lenght	Min. order		
UNIVERSAL PROFILES					
CS1	37 mm	0,93 m	4 pcs	12 pcs	960 pcs
CS1	37 mm	1,86 m	4 pcs	12 pcs	960 pcs
CS3	30 mm	0,93 m	4 pcs	12 pcs	960 pcs
CS3	30 mm	1,86 m	4 pcs	12 pcs	960 pcs
DILATATION PROFILES					
PRO20	20 mm	0,93 m	4 pcs	12 pcs	960 pcs
PRO20	20 mm	1,86 m	4 pcs	12 pcs	1320 pcs
PRO20	20 mm	1,86 m	4 pcs	12 pcs	1320 pcs
PRODUO22	22 mm	0,93 m	4 pcs	12 pcs	960 pcs
PRODUO22	22 mm	1,86 m	4 pcs	12 pcs	1320 pcs
PRODUO22	22 mm	2,79 m	4 pcs	12 pcs	960pcs
FL1	37 mm	0,93 m	4 pcs	12 pcs	960 pcs
T16	16 mm	1 m	4 pcs	4 pcs	960 pcs
T16	16 mm	2 m	4 pcs	12 pcs	1320 pcs
T22	22 mm	1 m	4 pcs	12 pcs	960 pcs
T22	22 mm	2 m	4 pcs	12 pcs	960 pcs
SM1	30 mm	0,93 m	4 pcs	12 pcs	960 pcs
SM1	30 mm	1,86 m	4 pcs	4 pcs	1040 pcs
SM1	30 mm	2,79 m	4 pcs	4 pcs	1040 pcs
PR3	30 mm	0,93 m	4 pcs	12 pcs	960 pcs
PR3	30 mm	1,86 m	4 pcs	4 pcs	1040 pcs
PR3	30 mm	2,79 m	4 pcs	4 pcs	1040 pcs
PR3K	30 mm	0,93 m	4 pcs	12 pcs	960 pcs
PR3K	30 mm	1,86 m	4 pcs	4pcs	1040 pcs
LEVELING PROFILES					
PRO26	26 mm	0,93 m	4 pcs	12 pcs	960 pcs
PRO26	26 mm	1,86 m	4 pcs	12 pcs	1320 pcs
PRO26	26 mm	2,79 m	4 pcs	12 pcs	960 pcs
PRODUO38	38 mm	0,93 m	4 pcs	12 pcs	960 pcs
PRODUO38	38 mm	1,86 m	4 pcs	12 pcs	1320 pcs
PRODUO38	38 mm	2,79 m	4 pcs	12 pcs	960 pcs
PR8	38 mm	0,93 m	4 pcs	12 pcs	960 pcs
PR8	38 mm	1,86 m	4 pcs	4 pcs	780pcs
PR8	38 mm	2,79 m	4 pcs	4 pcs	780 pcs

	Width	Lenght	Min. order		
LEVELING PROFILES					
SM2	41 mm	0,93 m	4 pcs	12 pcs	960 pcs
SM2	41 mm	1,86 m	4 pcs	4 pcs	780 pcs
SM2	41 mm	2,79 m	4 pcs	4pcs	780 pcs
SM3	47 mm	0,93 m	4 pcs	12 pcs	960 pcs
SM3	47 mm	1,86 m	4 pcs	4 pcs	676 pcs
SM3	47 mm	2,79 m	4 pcs	4 pcs	676 pcs
PR4	48 mm	0,93 m	4 pcs	12 pcs	960 pcs
PR4	48 mm	1,86 m	4 pcs	4 pcs	624 pcs
PR4	48 mm	2,79 m	4 pcs	4 pcs	624 pcs
PR10	70 mm	0,93 m	4 pcs	8 pcs	640 pcs
PR10	70 mm	1,86 m	4 pcs	4 pcs	440 pcs
PR10	70 mm	2,79 m	4 pcs	4 pcs	440 pcs
FINISHING PROFILES					
PRO-L	20 mm	0,93 m	4 pcs	12 pcs	960 pcs
PRO-L	20 mm	1,86 m	4 pcs	12 pcs	960 pcs
PRO-L	20 mm	2,79 m	4 pcs	12 pcs	960 pcs
PS1	25 mm	2 m	4 pcs	12 pcs	960 pcs
PS1	25 mm	3 m	4 pcs	4pcs	1248 pcs
PS1	25 mm	0,93 m	4 pcs	4 pcs	1248 pcs
PS1K	25 mm	1 m	4 pcs	12 pcs	960 pcs
PS1K	25 mm	2 m	4 pcs	4 pcs	1248 pcs
STAIRS PROFILES					
CS2	25 mm	1,2 m	4 pcs	12 pcs	1000 pcs
PS2	25 mm	1,2 m	4 pcs	4 pcs	1040 pcs
PS2	25 mm	2,4 m	4 pcs	4 pcs	1040 pcs
PS2K	25 mm	2,4 m	4 pcs	4 pcs	1040 pcs
PS8	40 mm	1,2 m	4 pcs	4 pcs	600 pcs
PS8	40 mm	2,4 m	4 pcs	4 pcs	600 pcs
PS8K	40 mm	2,4	4 pcs	4 pcs	600 pcs
PS6	46 mm	1,2 m	4 pcs	4 pcs	480 pcs
PS6	46 mm	2,4 m	4 pcs	4 pcs	480 pcs

DESIGN IS IN THE **DETAIL**

Arbiton is a well-known brand specialized in technologically advanced floor accessories.

Our floor system is designed from scratch in every detail.



Because we care about every detail.
We are the FLOOR EXPERT.

FLOORS

SKIRTING BOARDS

FLOOR PROFILES



UNDERLAYS

The catalogue is a free of charge presentation of products of Decora S.A. and acc. to valid law it is not a commercial off er. Colors and textures of the products in pictures may differ from real ones because of limited printing technologies. Decora S.A. reserves its right to alter availability of the products on some markets and at some distributors. The products included in the catalogues do not pose a complete offer of Decora S.A.



v.01.18

Decora S.A., ul. Prądzyńskiego 24a, 63-000 Środa Wlkp., Polska, tel.: +48 61 28 64 200
fax: +48 61 28 54 975, e-mail: sales@decora.pl, www.arbiton.com

Arbiton
FLOOR EXPERT